



Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THESMC-CGH1225
Batch Date: 2025-12-03
Extracted From: NONECultivation Date: 0000-00-00
Production Date: 0000-00-00Order # TRE251217-150001
Order Date: 2025-12-17
Sample # AAHH080
Serving Number: 15.00000Sampling Date: 2025-12-19
Lab Batch Date: 2025-12-19
Orig. Completion Date: 2025-12-28

Initial Gross Weight: 58.200 g

Number of Units: 1
Net Weight per Package: 55000.000 mg
Sampling Method: MSP 7.3.1

Statement of Amendment: Removed Client Address

Amanita Muscaria
TestedPsilocin
TestedPsilocybin
TestedPathogenic Microbiology
PassedHeavy Metals
PassedMycotoxins
PassedPesticides
PassedResidual Solvents
Passed

Amanita Analytes

Specimen Weight: 5049.030 mg

Tested

SOP 13.058 (LCMS)

Mushroom Potency Summary

Pieces For Panel: 1

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Ibotenic acid	1.13E-05	5.21E-5	<LOQ	<LOQ
Muscarnine	3.65E-06	1.3E-5	<LOQ	<LOQ
Muscimol	8.81E-06	5.21E-5	<LOQ	<LOQ
Total Amanita Analytes per Package			-	-

Prep. By: 1260 Date: 2025-12-20 18:12:11 Analyzed By: 1264 Date: 2025-12-20 14:33:57

Reviewed By: 1010 Date: 2025-12-24 12:06:39 Lab Batch #: AAHH080-415 Date: 2025-12-24 12:06:39



Psilocybe Mushroom Analytes

Specimen Weight: 401.720 mg

Tested

SOP 13.058 (LCMS)

Pieces For Panel: 1

Analyte	LOQ (%)	Result (mg/g)	(%)
psilocybin	0.000375	<LOQ	<LOQ
baeocystin	0.000225	<LOQ	<LOQ
psilocin	0.00015	<LOQ	<LOQ
norbaeocystin	0.000253	<LOQ	<LOQ
norpsilocin	4.5E-5	<LOQ	<LOQ
aeruginascin	6.0E-5	<LOQ	<LOQ
4-hydroxy TMT	2.38E-5	<LOQ	<LOQ
4-hydroxytryptamine	5.65E-5	<LOQ	<LOQ
harmine	9.38E-5	<LOQ	<LOQ
harmine	5.63E-5	<LOQ	<LOQ
Total Psilocybin + Psilocin per Package		-	-
Total Psilocybe Mushroom Analytes per Package		-	-

Prep. By: 1260 Date: 2025-12-20 18:12:36 Analyzed By: 1264 Date: 2025-12-20 14:47:32

Reviewed By: 1234 Date: 2025-12-28 14:46:24 Lab Batch #: AAHH080-371 Date: 2025-12-28 14:46:24

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity. ACS uses simple acceptance criteria for contaminant panels. Passed – contaminant analytes/microbes are not detected or are at the level below the action limit per FL rule 5K-4.034. Failed – contaminant analytes/microbes are at the level that is equal to or above the action limit per FL rule 5K-4.034. Client supplied the net weight of mg. The results apply to the sample as received. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THESMC-CGH1225
Batch Date: 2025-12-03
Extracted From: NONE

Cultivation Date: 0000-00-00
Production Date: 0000-00-00

Order # TRE251217-150001
Order Date: 2025-12-17
Sample # AAHH080
Serving Number: 15.00000

Sampling Date: 2025-12-19
Lab Batch Date: 2025-12-19
Orig. Completion Date: 2025-12-28

Initial Gross Weight: 58.200 g

Number of Units: 1
Net Weight per Package: 55000.000 mg
Sampling Method: MSP 7.3.1



Microbiology Pathogenic SAE Microarray *

Specimen Weight: 1019.600 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	Passed	Salmonella	Passed
Escherichia coli specific gene	Passed		

Prep. By: 1161

Date: 2025-12-20 09:47:46

Analyzed By: 1161

Date: 2025-12-20 09:47:46

Reviewed By: 1035

Date: 2025-12-21 16:22:38

Lab Batch #: AAHH080-367

Date: 2025-12-21 16:22:38



Heavy Metals Florida *

Specimen Weight: 254.600 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 196.386

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	1500	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	500	<LOQ	Mercury (Hg)	0.016	100	3000	<LOQ

Prep. By: 1204

Date: 2025-12-18 19:21:01

Analyzed By: 1204

Date: 2025-12-19 19:21:01

Reviewed By: 1204

Date: 2025-12-21 10:14:17

Lab Batch #: AAHH080-593

Date: 2025-12-21 10:14:17



Mycotoxins FL *

Specimen Weight: 617.100 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	4.9	20	<LOQ	Aflatoxin G2	2.7100E-1	4.9	20	<LOQ
Aflatoxin B2	7.7000E-2	4.9	20	<LOQ	Ochratoxin A	7.5400E-1	9.8	20	<LOQ
Aflatoxin G1	3.0400E-1	4.9	20	<LOQ					

Prep. By: 1256

Date: 2025-12-19 14:49:01

Analyzed By: 1256

Date: 2025-12-19 14:49:01

Reviewed By: 1222

Date: 2025-12-21 16:08:57

Lab Batch #: AAHH080-616

Date: 2025-12-21 16:08:57

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THESMC-CGH1225
Batch Date: 2025-12-03
Extracted From: NONE

Cultivation Date: 0000-00-00
Production Date: 0000-00-00

Order # TRE251217-150001
Order Date: 2025-12-17
Sample # AAHH080
Serving Number: 15.00000

Sampling Date: 2025-12-19
Lab Batch Date: 2025-12-19
Orig. Completion Date: 2025-12-28

Initial Gross Weight: 58.200 g

Number of Units: 1
Net Weight per Package: 55000.000 mg
Sampling Method: MSP 7.3.1



Residual Solvents – FL *

Specimen Weight: 17.100 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	0.132	8	<LOQ	Heptane	0.001	8	5000	<LOQ
1,2-Dichloroethane	0.000	0.032	2	<LOQ	Hexane	0.068	0.8	250	<LOQ
Acetone	0.015	12	750	<LOQ	Isopropyl alcohol	0.005	8	500	<LOQ
Acetonitrile	0.060	0.96	60	<LOQ	Methanol	0.001	4	250	<LOQ
Benzene	0.000	0.016	1	<LOQ	Methylene chloride	0.003	2	125	<LOQ
Butanes	0.417	13.32	5000	<LOQ	Pentane	0.037	12	750	<LOQ
Chloroform	0.000	0.032	2	<LOQ	Propane	0.031	26.668	5000	<LOQ
Ethanol	0.002	16	5000	<LOQ	Toluene	0.001	2.4	150	<LOQ
Ethyl Acetate	0.001	6.4	400	<LOQ	Total Xylenes	0.000	7.2	150	<LOQ
Ethyl Ether	0.005	8	500	<LOQ	Trichloroethylene	0.001	0.4	25	<LOQ
Ethylene Oxide	0.004	0.32	5	<LOQ					

Prep. By: 1051

Date: 2025-12-19 13:56:30

Analyzed By: 1208

Date: 2025-12-19 13:56:30

Reviewed By: 1208

Date: 2025-12-20 12:48:31

Lab Batch #: AAHH080-55

Date: 2025-12-20 12:48:31

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THESMC-CGH1225

Batch Date: 2025-12-03

Extracted From: NONE

Cultivation Date: 0000-00-00

Production Date: 0000-00-00

Order # TRE251217-150001

Order Date: 2025-12-17

Sample # AAHH080

Serving Number: 15.00000

Sampling Date: 2025-12-19

Lab Batch Date: 2025-12-19

Orig. Completion Date: 2025-12-28

Initial Gross Weight: 58.200 g

Number of Units: 1

Net Weight per Package: 55000.000 mg

Sampling Method: MSP 7.3.1



Pesticides *

Specimen Weight: 617.100 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	3.9900E-1	23.3	300	<LOQ	Fludioxonil	3.6000E-1	24.8	3000	<LOQ
Acephate	1.4100E-1	24.8	3000	<LOQ	Hexythiazox	1.1300E-1	24.8	2000	<LOQ
Acequinocyl	2.1780E+0	24.8	2000	<LOQ	Imazalil	2.5800E-1	24.8	100	<LOQ
Acetamiprid	1.4000E-1	24.8	3000	<LOQ	Imidacloprid	4.0200E-1	24.8	3000	<LOQ
Aldicarb	2.0300E-1	24.8	100	<LOQ	Kresoxim Methyl	1.8200E-1	24.8	1000	<LOQ
Azoxystrobin	1.8800E-1	24.8	3000	<LOQ	Malathion	2.2300E-1	24.8	2000	<LOQ
Bifenazate	8.6000E-2	24.8	3000	<LOQ	Metalaxyl	2.7000E-1	24.8	3000	<LOQ
Bifenthrin	1.0000E-1	24.8	500	<LOQ	Methiocarb	1.1800E-1	24.8	100	<LOQ
Boscalid	5.9500E-1	24.8	3000	<LOQ	Methomyl	6.4000E-2	24.8	100	<LOQ
Captan	1.8500E+0	323	3000	<LOQ	methyl-Parathion	8.2000E-1	24.8	100	<LOQ
Carbaryl	1.2200E-1	24.8	500	<LOQ	Mevinphos	9.3000E-2	24.8	100	<LOQ
Carbofuran	8.6000E-2	24.8	100	<LOQ	Myclobutanil	5.7300E-1	24.8	3000	<LOQ
Chlorantraniliprole	8.4000E-2	24.8	3000	<LOQ	Naled	6.9000E-2	24.8	500	<LOQ
Chlordane	1.4100E+0	24.8	100	<LOQ	Oxamyl	4.1000E-2	24.8	500	<LOQ
Chlorfenapyr	1.5000E+0	24.8	100	<LOQ	Paclobutrazol	1.8600E-1	24.8	100	<LOQ
Chlormequat Chloride	2.0500E-1	24.8	3000	<LOQ	Pentachloronitrobenzene	2.2000E-1	24.8	200	<LOQ
Chlorpyrifos	1.0900E-1	24.8	100	<LOQ	Permethrin	6.2400E-1	24.8	1000	<LOQ
Clofentezine	2.1200E-1	24.8	500	<LOQ	Phosmet	1.2700E-1	24.8	200	<LOQ
Coumaphos	2.0600E-1	24.8	100	<LOQ	Piperonylbutoxide	1.4900E-1	24.8	3000	<LOQ
Cyfluthrin	9.8000E-1	24.8	1000	<LOQ	Prallethrin	1.4760E+0	24.8	400	<LOQ
Cypermethrin	9.8500E-1	24.8	1000	<LOQ	Propiconazole	2.9400E-1	24.8	1000	<LOQ
Daminozide	1.6550E+0	24.8	100	<LOQ	Propoxur	1.0000E-1	24.8	100	<LOQ
Diazinon	2.1200E-1	24.8	200	<LOQ	Pyrethrins	6.7000E-2	12.9	1000	<LOQ
Dichlorvos	1.1300E+0	24.8	100	<LOQ	Pyridaben	1.4000E-1	24.8	3000	<LOQ
Dimethoate	6.3000E-2	24.8	100	<LOQ	Spinetoram	4.2400E-1	24.8	3000	<LOQ
Dimethomorph	2.5810E+0	24.8	3000	<LOQ	Spinosad	2.8000E-2	24.8	3000	<LOQ
Ethoprophos	1.5100E-1	24.8	100	<LOQ	Spiromesifen	1.2000E-1	24.8	3000	<LOQ
Etofenprox	1.7200E-1	24.8	100	<LOQ	Spirotetramat	2.1100E-1	24.8	3000	<LOQ
Etoxazole	8.6600E-1	24.8	1500	<LOQ	Spiroxamine	5.3300E-1	24.8	100	<LOQ
Fenhexamid	5.8800E-1	24.8	3000	<LOQ	Tebuconazole	2.3000E-1	24.8	1000	<LOQ
Fenoxycarb	2.7400E-1	24.8	100	<LOQ	Thiacloprid	1.7000E-1	24.8	100	<LOQ
Fenpyroximate	1.9800E-1	24.8	2000	<LOQ	Thiamethoxam	1.7900E+2	24.8	1000	<LOQ
Fipronil	3.1700E-1	24.8	100	<LOQ	Trifloxystrobin	1.3400E-1	24.8	3000	<LOQ
Fonicamid	4.6600E-1	24.8	2000	<LOQ					

Prep. By: 1256

Date: 2025-12-19 14:49:01

Analyzed By: 1256

Date: 2025-12-19 14:49:01

Reviewed By: 1222

Date: 2025-12-21 16:08:57

Lab Batch #: AAHH080-202

Date: 2025-12-21 16:08:57

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

